

Project Name: RTF Editor Example□

File: C:\Xbase\v19SL1\source\samples\activex\editor\PROJECT.XPJ

Analysis Date: 10/20/2009

Time: 22:16:16

Total Files: 2

Include Files: 13

Name: _RtfForm

Type: Class

File: C:\Xbase\v19SL1\source\samples\activex\editor_RTF.PRG [21-33]

Derived From:

[Cl] XbpDialog : 21

Variables:

[VA] editControls : 23

[VA] oToolbar : 26

[VA] oFontSize : 27

[VA] oFontName : 28

[VA] oStatusbar : 29

[VA] oRTF : 30

Methods:

[MT] init : 32

[MT] create : 33

Name: _RTFForm:init

Type: Method

File: C:\Xbase\v19SL1\source\samples\activex\editor_RTF.PRG [39-67]

Calls:

::XbpDialog:init : 48

XbpToolBar:new : 55

XbpComboBox:new : 57,60

XbpStatusBar:new : 63

XbpRTF:new : 65

Variables:

[Pa] oParent : 39,44,48

[Pa] oOwner : 39,48

[Pa] aPos : 39,44,48

[Pa] aSize : 39,44,48

[Pa] aPP : 39,46,47,48

[Pa] lVisible : 39,44,48

::XbpDialog:drawingArea:clipChildren: =49

::XbpDialog:taskList: =50

::XbpDialog:title : =51

::editControls : =53

::oToolbar : =55,57,60

::drawingArea : 55,63,65

::oFontSize : =57

::oFontSize:tabstop : =58

::oFontName : =60

::oFontName:tabstop : =61

::oStatusbar : =63

::oRTF : =65

Name: _RTFForm:create

Type: Method

File: C:\Xbase\v19SL1\source\samples\activex\editor_RTF.PRG [73-92]

Calls:

::XbpDialog:create : 75

::oToolbar:create : 77

::oFontSize:create : 81

::oFontName:create : 83

::oStatusbar:create : 85

::oRTF:create : 88

Variables:

```

[Pa]  oParent          : 73,75
[Pa]  oOwner           : 73,75
[Pa]  aPos             : 73,75
[Pa]  aSize            : 73,75
[Pa]  aPP              : 73,75
[Pa]  lVisible         : 73,75
      ::oToolbar:Style  : =78
      ::oToolbar:BorderStyle: =79
      ::oStatusBar:Caption: =86
      ::oRTF:Scrollbars : =89

```

Name: Main

Type: Procedure

File: C:\Xbase\v19SL1\source\samples\activex\editor\RTF.PRG [23-47]

Calls:

```

RTFForm:new          : 29
oForm:create         : 32
AppQuit             : 33
CenterControl       : 36
oForm:show          : 38
oXbp:handleEvent    : 44

```

Variables:

```

[Lo]  oForm            : 25,=29,36
[Lo]  nEvent           : 26,=41,42,=43,44
[Lo]  mp1              : =27,@43,44
[Lo]  mp2              : =27,@43,44
[Lo]  oXbp             : =27,@43
      oForm:visible    : =30
      oForm:minSize    : =31
      oForm:close      : =33
      oForm:SetInputFocus : =34
[CBV] oForm:oRTF       : 34,39

```

Name: AppSys

Type: Function

File: C:\Xbase\v19SL1\source\samples\activex\editor\RTF.PRG [52-53]

Name: AppQuit

Type: Procedure

File: C:\Xbase\v19SL1\source\samples\activex\editor\RTF.PRG [59-67]

Called By:

```

Main          : 33

```

Name: RtfForm

Type: Class

File: C:\Xbase\v19SL1\source\samples\activex\editor\RTF.PRG [74-85]

Derived From:

```

[Cl]  _RtfForm        : 74

```

Variables:

```

[VA]  cFileName       : 76

```

Methods:

```

[MT]  Init           : 77
[MT]  Create         : 78
[MT]  GetFileName    : 79
[MT]  Refresh        : 80
[MT]  LoadFile       : 81
[MT]  Resize         : 82
[MT]  ToolbarResize  : 84
[MT]  ToolButtonClick : 85

```

Name: RtfForm:init

Type: Method

File: C:\Xbase\v19SL1\source\samples\activex\editor\RTF.PRG [91-104]

Calls:

```

::_RtfForm:init      : 94
::oFontName:XbpsLE:GetData: 99
::oFontSize:XbpsLE:GetData: 100
::Destroy           : 101

```

Variables:

```

[Pa]  oParent      : 91,94
[Pa]  oOwner       : 91,94
[Pa]  aPos         : 91,94
[Pa]  aSize        : 91,94
[Pa]  aPP          : 91,94
[Pa]  lVisible     : 91,94
      ::Title      : =96
      ::oFontName:ItemSelected: =99
[CBV]  ::oRtf:SelFontName : =99
      ::oFontSize:ItemSelected: =100
[CBV]  ::oRtf:SelFontSize  : =100
      ::Close              : =101
      ::oToolbar:resize   : =102
[CBPa] aOld              : 102
[CBPa] aNew              : =102,102

```

Name: RtfForm:create

Type: Method

File: C:\Xbase\v19SL1\source\samples\activex\editor\RTF.PRG [110-248]

Calls:

```

::_RtfForm:create      : 122
::oToolbar:LoadImageSet: 136
::oToolbar:AddItem    : 139,142,145,149,152,159,162,169,172,175,178,182,
                      185,189,193,198,201
::oFontName:setPos    : 155
::oFontName:CurrentSize: 157
::oFontSize:setPos    : 165
::oFontSize:CurrentSize: 167
::oStatusBar:GetItem: 208
::oStatusBar:AddItem: 211,217,223
XbpFont:New          : 232
::LockPS             : 232
:List                : 232
::UnlockPS           : 233
::Refresh            : 244,246

```

Variables:

```

[Pa]  oParent      : 110,122
[Pa]  oOwner       : 110,122
[Pa]  aPos         : 110,122
[Pa]  aSize        : 110,122
[Pa]  aPP          : 110,122
[Pa]  lVisible     : 110,122
[Lo]  aFonts       : 112,=232,236
[Lo]  aSizes       : 112,=241,242
[Lo]  aFontNames   : 112,=234,236,237,238
[Lo]  oButton      : 113,=137,137,=139,=142,=145,=149,=152,=159,=162,
                      =169,=172,=175,=178,=182,=185,=189,=193,=198,=201
[Lo]  oPanel       : 113,=208,=211,=217,=223
[Lo]  nTmp         : 114
[Lo]  bOldBlock    : 115,=120,131
[Lo]  oError       : 116,123
[CBPa] e           : 120
      oError:subCode : 124
      ::oToolbar:ButtonClick: =137
      oButton:Image   : =140,=143,=146,=173,=176,=179,=186,=190,=194,=202
      oButton:Key     : =141,=144,=147,=174,=177,=180,=188,=192,=196,=203
      oButton:Style   : =150,=153,=160,=163,=170,=183,=187,=191,=195,=199
      oButton:Left    : 155,165
      oButton:Top     : 155,165
      oButton:Height  : 155,165

```

```

oButton:width      : =157,=167
oPanel:AutoSize    : =209,=214,220,226
oPanel:Style       : =212,=218,=224
oPanel:Alignment   : 213,219,225
oPanel:Width       : 215,221,227
[CBPa] o           : 236
[CBV] o:FamilyName : 236
[CBPa] c           : =238,238,=242,242
::oRtf:SelChange   : =244

```

Name: RtfForm:Refresh

```

Type: Method
File: C:\Xbase\v19SL1\source\samples\activex\editor\RTF.PRG [ 253-340 ]
Calls:

```

```

::oRTF:GetLineFromChar: 262
::oStatusBar:GetItem: 268
::oFontName:XbpSle:SetData: 279,281
::oFontSize:XbpSle:SetData: 285,287
::oToolbar:GetItem : 292,294,295,300,302,303,308,310,311,316,317,318,
                    320,321,322,324,326,328,334,336,337

```

Variables:

```

[Lo] xTmp          : 255,=266,268,=277,278,281,=283,284,287,=290,291,
                    295,=298,299,303,=306,307,311,=314,315,323,325,327,
                    =332,333,337
[Lo] nCol          : 256,=263,266
[Lo] nLine         : 257,=262,263,266
::oRTF:SelStart    : 262,=263
:Caption           : =268
::oRtf:SelFontName : 277
::oRtf:SelFontSize : 283
::oRtf:SelBold     : 290
:MixedState        : =292,=294,=300,=302,=308,=310,=316,=317,=318,=320,
                    =321,=322,=334,=336
:Pressed           : =295,=303,=311,=324,=326,=328,=337
::oRtf:SelItalic   : 298
::oRtf:SelUnderline : 306
::oRtf:SelAlignment : 314
::oRtf:SelBullet   : 332

```

Name: RtfForm:ToolButtonClick

```

Type: Method
File: C:\Xbase\v19SL1\source\samples\activex\editor\RTF.PRG [ 346-373 ]
Calls:

```

```

::oRtf:LoadFile    : 350
::GetFileName      : 350,352
::oRtf:SaveFile    : 352
::oRtf:Print       : 354
::Refresh          : 371

```

Variables:

```

[Pa] oButton       : 346
oButton:Key        : 349,351,353,355,357,359,361,363,365,367
::oRtf:SelBold     : =356,356
::oRtf:SelItalic   : =358,358
::oRtf:SelUnderline : =360,360
::oRtf:SelAlignment : =362,=364,=366
::oRtf:SelBullet   : =368,368

```

Name: RtfForm:GetFileName

```

Type: Method
File: C:\Xbase\v19SL1\source\samples\activex\editor\RTF.PRG [ 379-397 ]
Calls:

```

```

XbpFileDialog:New : 381
:Create           : 381
oDlg:Open         : 384
oDlg:SaveAs       : 390

```

```
oDlg:Destroy : 392
```

Variables:

```
[Pa] lOpen : 379,383
[Lo] oDlg : =381
::cFileName : =384,385,=386,=390,390,393,=394
```

Name: RtfForm:LoadFile

Type: Method

File: C:\Xbase\v19SL1\source\samples\activex\editor\RTF.PRG [403-408]

Calls:

```
::oRtf:LoadFile : 406
```

Variables:

```
[Pa] cFile : 403,405
::cFileName : =405,406
```

Name: RtfForm:Resize

Type: Method

File: C:\Xbase\v19SL1\source\samples\activex\editor\RTF.PRG [414-447]

Calls:

```
::CalcClientRect : 420
::oToolbar:CurrentSize: 421,432
::oStatusBar:CurrentSize: 422
::oToolbar:SetSize : 426
::oToolbar:SetPos : 427
::oToolbar:GetItem : 429
::oFontSize:CurrentSize: 431
::oFontSize:ListBoxSize: 431
::oFontName:XbpSle:GetData: 436
::oFontName:SetPos : 437
::oFontName:CurrentPos: 437
::oFontName:XbpSle:SetData: 438
::oFontSize:XbpSle:GetData: 440
::oFontSize:setPos : 441
::oFontSize:CurrentPos: 441
::oFontSize:XbpSle:SetData: 442
::oStatusBar:SetSize: 444
::oRtf:SetSize : 445
```

Variables:

```
[Pa] aOldSize : 414
[Pa] aNewSize : 414,420
[Lo] oButton : 416,=429
[Lo] nTmp : 417,=432,=433,434,437,441
[Lo] nSLEY : 418,=431,432,434
[Lo] cTmp : 419,=436,438,=440,442
[Lo] aSizeDA : =420,=424,424,426,427,444,445
[Lo] aSizeTBar : =421,426,427,445
[Lo] aSizeSBar : =422,444,445
oButton:Height : 434
```

Name: RtfForm:ToolbarResize

Type: Method

File: C:\Xbase\v19SL1\source\samples\activex\editor\RTF.PRG [454-463]

Calls:

```
::currentSize : 459
::Resize : 460
```

Variables:

```
[Pa] aOldSize : 454,458
[Pa] aNewSize : 454,458
[Lo] aSize : 456,=459,460
```

Classes Defined:

CLASS: _RtfForm

Defined In: C:\Xbase\v19SL1\source\samples\activex\editor_RTF.PRG - [21-33]

Derived From:

XbpDialog

VARs:

editControls
oToolbar
oFontSize
oFontName
oStatusbar
oRTF

METHODs:

init
create

CLASS: RtfForm

Defined In: C:\Xbase\v19SL1\source\samples\activex\editor\RTF.PRG - [74-85]

Derived From:

_RtfForm

VARs:

cFileName

METHODs:

Init
Create
GetFileName
Refresh
LoadFile
Resize
ToolbarResize
ToolButtonClick

Include Files Processed:

C:\Xbase\v19SL1\INCLUDE\APPEVENT.CH
C:\Xbase\v19SL1\INCLUDE\COLLAT.CH
C:\Xbase\v19SL1\INCLUDE\COMMON.CH
C:\Xbase\v19SL1\INCLUDE\DLL.CH
C:\Xbase\v19SL1\INCLUDE\FONT.CH
C:\Xbase\v19SL1\INCLUDE\GET.CH
C:\Xbase\v19SL1\INCLUDE\GRA.CH
C:\Xbase\v19SL1\INCLUDE\MEMVAR.CH
C:\Xbase\v19SL1\INCLUDE\NATMSG.CH
C:\Xbase\v19SL1\INCLUDE\PROMPT.CH
C:\Xbase\v19SL1\INCLUDE\SET.CH
C:\Xbase\v19SL1\INCLUDE\STD.CH
C:\Xbase\v19SL1\INCLUDE\XBP.CH

Files Processed:

C:\Xbase\v19SL1\source\samples\activex\editor_RTF.PRG
C:\Xbase\v19SL1\source\samples\activex\editor\RTF.PRG